PHẦN VĂN BẢN QUY PHẠM PHÁP LUẬT

BỘ TÀI NGUYÊN VÀ MÔI TRƯỜNG

Thông tư số 20/2014/TT-BTNMT ngày 24 tháng 4 năm 2014 quy định kỹ thuật về mô hình cấu trúc, nội dung cơ sở dữ liệu nền địa lý tỷ lệ 1:50.000

Phụ lục số 5

LƯỢC ĐỒ GML ÁP DỤNG TRONG PHÂN PHỐI DỮ LIỆU NỀN ĐỊA LÝ TỶ LỆ 1:50.000

(Ban hành kèm theo Thông tư số 20/2014/TT-BTNMT ngày 24 tháng 4 năm 2014 của Bộ trưởng Bộ Tài nguyên và Môi trường)

(Tiếp theo Công báo số 539 + 540)

```
    </extension>
  </complexContent>
</complexType>
<element name="GA01" type="ndl50n:GA01Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GA01Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      </sequence>
    </extension>
  </complexContent>
</complexType>
<element name="GA02" type="ndl50n:GA02Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GA02Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      </sequence>
    </extension>
  </complexContent>
</complexType>
<element name="GA03" type="ndl50n:GA03Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GA03Type">
  <complexContent>
```

```
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      </sequence>
    </extension>
  </complexContent>
</complexType>
<element name="GA04" type="ndl50n:GA04Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GA04Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      </sequence>
    </extension>
  </complexContent>
</complexType>
<element name="GA05" type="ndl50n:GA05Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GA05Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      </sequence>
    </extension>
  </complexContent>
```

```
</complexType>

<element name="GB01" type="ndl50n:GB01Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GB01Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CHS" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LMO" type="integer" minOccurs="1" maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="GB02" type="ndl50n:GB02Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GB02Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CHS" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LMO" type="integer" minOccurs="1" maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
```

```
</complexType>

<element name="GB03" type="ndl50n:GB03Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GB03Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CHS" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LMO" type="integer" minOccurs="1" maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="GB04" type="ndl50n:GB04Type" substitutionGroup="ndl50n:_CoSoDoDac" />
<complexType name="GB04Type">
  <complexContent>
    <extension base="ndl50n:CoSoDoDacType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CHS" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LMO" type="integer" minOccurs="1" maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
```

```
</complexType>

<element name="AA01" type="ndl50n:AA01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AA01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="HTP" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="QGK" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CDI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AA02" type="ndl50n:AA02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AA02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="HTP" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="QGK" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CDI" type="double" minOccurs="1"  maxOccurs="1"/>
```

```
      <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
     </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AC01" type="ndl50n:AC01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AC01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="HTP" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LKT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="LKP" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CDI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AC02" type="ndl50n:AC02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AC02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="HTP" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LKT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="LKP" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CDI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AC03" type="ndl50n:AC03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AC03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="HTP" type="integer" minOccurs="1" maxOccurs="1"/>
        <element name="LKT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="LKP" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="CDI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
```

```
</complexType>

<element name="AD01" type="ndl50n:AD01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AD01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="MHC" type="string" minOccurs="1" maxOccurs="1"/>
        <element name="TEN" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AD02" type="ndl50n:AD02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AD02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="MHC" type="string" minOccurs="1" maxOccurs="1"/>
        <element name="TEN" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
```

```
      <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
     </sequence>
    </extension>
  </complexContent>
<element name="AD03" type="ndl50n:AD03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AD03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
     <sequence>
      <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      <element name="MHC" type="string" minOccurs="1" maxOccurs="1"/>
      <element name="TEN" type= "string" minOccurs="1"  maxOccurs="1" />
      <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
      <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
     </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AB01" type="ndl50n:AB01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AB01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
     <sequence>
      <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      <element name="CDI" type="double" minOccurs="1"  maxOccurs="1"/>
```

```
      <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
     </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AG01" type="ndl50n:AG01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AG01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
     <sequence>
      <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
      <element name="SHM" type="string" minOccurs="1"  maxOccurs="1"/>
      <element name="VDX" type="double" minOccurs="1"  maxOccurs="1"/>
      <element name="KDY" type="double" minOccurs="1"  maxOccurs="1"/>
      <element name="DAH" type="double" minOccurs="1"  maxOccurs="1"/>
      <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
     </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AE01" type="ndl50n:AE01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AE01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AE02" type="ndl50n:AE02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AE02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AE03" type="ndl50n:AE03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AE03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="AE06" type="ndl50n:AE06Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="AE06Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
        <element name="DTI" type="double" minOccurs="1"  maxOccurs="1"/>
        <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="DA05" type="DA05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="DA05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="integer" minOccurs="0"  maxOccurs="1" />
            <element name="DTR" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="EA01" type="ndl50n:EA01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EA01Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="DAH" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="LDD" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="EA02" type="ndl50n:EA02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EA02Type">
```

```
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="DSA" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="EB01" type="ndl50n:EB01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB01Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="EB02" type="ndl50n:EB02Type" substitutionGroup="ndl50n:_NenDialy50N" />
```

```
<complexType name="EB02Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
   <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
        </sequence>
  </extension>
 </complexContent>
</complexType>

<element name="EB04" type="ndl50n:EB04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB04Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
   <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" />
        </sequence>
  </extension>
 </complexContent>
</complexType>
```

```
<element name="EB05" type="ndl50n:EB05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB05Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
   <sequence>
        <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
        <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
        <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
        <element name="GEO" type="gml:CurvePropertyType" />
      </sequence>
  </extension>
 </complexContent>
</complexType>

<element name="EB06" type="ndl50n:EB06Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB06Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
   <sequence>
        <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
        <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
        <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
        <element name="curve" type="gml:CurvePropertyType" />
     <element name="surface" type="gml:SurfacePropertyType" />
      </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="EB07" type="ndl50n:EB07Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB07Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB08" type="ndl50n:EB08Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB08Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB09" type="ndl50n:EB09Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB09Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
          <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB10" type="ndl50n:EB10Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB10Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
```

```
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
          <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB11" type="ndl50n:EB11Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB11Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
          </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB12" type="ndl50n:EB12Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB12Type">
```

```
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="EB13" type="ndl50n:EB13Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB13Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>
```

```
<element name="EB14" type="ndl50n:EB14Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB14Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB15" type="ndl50n:EB15Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB15Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
        </sequence>
    </extension>
  </complexContent>
```

```
</complexType>

<element name="EB17" type="ndl50n:EB17Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB17Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB18" type="ndl50n:EB18Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB18Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
        </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="EB20" type="ndl50n:EB20Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB20Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EB21" type="ndl50n:EB21Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EB21Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongDiaHinhDacBietType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="TCS" type="double" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="GEO" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EA03" type="ndl50n:EA03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EA03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LBD" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="KCD" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="DAH" type="double" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="EA04" type="ndl50n:EA04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="EA04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
```

```
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LBD" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="KCD" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="DSA" type="double" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LC03" type="ndl50n:LC03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LC03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
            <element name="surface" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LC06" type="ndl50n:LC06Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LC06Type">
```

```
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
            <element name="surface" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LC04" type="ndl50n:LC04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LC04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>
```

```
<element name="LD01" type="ndl50n:LD01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LD01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="LBA" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="TTB" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LD02" type="ndl50n:LD02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LD02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongBienDoiDongChayType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
        </sequence>
    </extension>
```

```
  </complexContent>
</complexType>

<element name="LD03" type="ndl50n:LD03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LD03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongBienDoiDongChayType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="curve" type="gml:CurvePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LA03" type="ndl50n:LA03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LA03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongNguonNuocType" minOccurs="1"  maxOccurs="1" />
            <element name="LNN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1" />
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LA05" type="ndl50n:LA05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LA05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongNguonNuocType" minOccurs="1"  maxOccurs="1" />
            <element name="LNN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="_RanhGioiNuocMat" type="ndl50n:RanhGioiNuocMatType" abstract="true"
substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="RanhGioiNuocMatType" abstract="true">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
        <element name="LRG" type="integer" minOccurs="1"  maxOccurs="1"/>
```

```
      <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
     </sequence>
    </extension>
  </complexContent>
</complexType>


<element name="LG01" type="ndl50n:LG01Type" substitutionGroup="ndl50n:_RanhGioiNuocMat" />
<complexType name="LG01Type">
  <complexContent>
    <extension base="ndl50n:RanhGioiNuocMatType">
     <sequence>
              <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
         </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LG02" type="ndl50n:LG02Type" substitutionGroup="ndl50n:_RanhGioiNuocMat" />
<complexType name="LG02Type">
  <complexContent>
    <extension base="ndl50n:RanhGioiNuocMatType">
     <sequence>
              <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
         </sequence>
    </extension>
```

```
  </complexContent>
</complexType>

<element name="LG03" type="ndl50n:LG03Type" substitutionGroup="ndl50n:_RanhGioiNuocMat" />
<complexType name="LG03Type">
  <complexContent>
    <extension base="ndl50n:RanhGioiNuocMatType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="LQU" type="integer" minOccurs="1"  maxOccurs="1" />
          </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="NuocMat" type="ndl50n:NuocMatType" abstract="true" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="NuocMatType" abstract="true">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
    </extension>
  </complexContent>
</complexType>

<element name="LA04" type="ndl50n:LA04Type" substitutionGroup="ndl50n:_NuocMat" />
<complexType name="LA04Type">
  <complexContent>
```

```
    <extension base="ndl50n:NuocMatType">
     <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="curve" type="gml:CurvePropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LB01" type="ndl50n:LB01Type" substitutionGroup="ndl50n:_NuocMat" />
<complexType name="LB01Type">
  <complexContent>
    <extension base="ndl50n:NuocMatType">
     <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongNuocMatTinhType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LB02" type="ndl50n:LB02Type" substitutionGroup="ndl50n:_NuocMat" />
<complexType name="LB02Type">
```

```
  <complexContent>
   <extension base="ndl50n:NuocMatType">
    <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongNuocMatTinhType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="LB03" type="ndl50n:LB03Type" substitutionGroup="ndl50n:_NuocMat" />
<complexType name="LB03Type">
  <complexContent>
   <extension base="ndl50n:NuocMatType">
    <sequence>
            <element name="MDT" type= "ndl50n:DoiTuongNuocMatTinhType" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="LA07" type="ndl50n:LA07Type" substitutionGroup="ndl50n:_NuocMat" />
<complexType name="LA07Type">
```

```
  <complexContent>
   <extension base="ndl50n:NuocMatType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TTD" type="integer" minOccurs="1"  maxOccurs="1" />
            <element name="“TEN” type="string" minOccurs="1"  maxOccurs="1" />
            <element name="curve" type="gml:CurvePropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="LE03" type="ndl50n:LE03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LE03Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="LE01" type="ndl50n:LE01Type" substitutionGroup="ndl50n:_NenDialy50N" />
```

```
<complexType name="LE01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="point" type="gml:PointPropertyType" />
                <element name="curve" type="gml:CurvePropertyType" />
                </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LE04" type="ndl50n:LE04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LE04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
                <element name="DTR" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="LDA" type= "integer" minOccurs="1"  maxOccurs="1" />
                <element name="LGT" type= "boolean" minOccurs="1"  maxOccurs="1" />
                <element name="GEO" type="gml:CurvePropertyType" />
          </sequence>
    </extension>
```

```
  </complexContent>
</complexType>

<element name="LE05" type="ndl50n:LE05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LE05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="“TEN” type="string" minOccurs="1"  maxOccurs="1" />
            <element name="LGT" type= "boolean" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LE07" type="ndl50n:LE07Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LE07Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvefacePropertyType" />
        </sequence>
    </extension>
```

```
  </complexContent>
</complexType>

<element name="LE09" type="ndl50n:LE09Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LE09Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LTL" type= "ndl50n:LoaiTaLuyType" minOccurs="1"  maxOccurs="1" /
<element name="HTT" type= "ndl50n:LoaiHinhThaiTaLuyType" minOccurs="1"  maxOccurs="1" />
            <element name="TCS" type= "double" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LE10" type="ndl50n:LE10Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LE10Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="LH01" type="ndl50n:LH01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="LH01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HH02" type="ndl50n:HH02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HH02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA02" type="ndl50n:HA02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA03" type="ndl50n:HA03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type="string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>
<element name="HB02" type="ndl50n:HB02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HB02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HC01" type="ndl50n:HC01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HC01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="HC02" type="ndl50n:HC02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HC02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />

            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HC03" type="ndl50n:HC03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HC03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HC04" type="ndl50n:HC04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HC04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />

            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HD01" type="ndl50n:HD01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HD01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="point" type="gml:PointPropertyType" />
            <element name="curve" type="gml:CurvePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HG02" type="ndl50n:HG02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HG02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="DTR" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LCU" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="CGT" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="TTR" type= "double" minOccurs="0"  maxOccurs="1" />
            <element name="CDI" type= "double" minOccurs="1"  maxOccurs="1" />
            <element name="CRO" type= "double" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="curve" type="gml:CurvePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>
```

```
<element name="HG03" type="ndl50n:HG03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HG03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="LCT" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HG04" type="ndl50n:HG04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HG04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
```

```
</complexType>
</schema>

<element name="HA13" type="ndl50n:HA13Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA13Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LDB" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="CTM" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="LKC" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="DRG" type= "double" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="TU1" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="TU2" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="TU3" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA16" type="ndl50n:HA16Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA16ype">
  <complexContent>
```

```
  <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
  </extension>
 </complexContent>
</complexType>

<element name="HA18" type="ndl50n:HA18Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA18Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
  </extension>
 </complexContent>
</complexType>

<element name="HA19" type="ndl50n:HA19Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA19Type">
 <complexContent>
```

```
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
            </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HE01" type="ndl50n:HE01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HE01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
            </sequence>
    </extension>
  </complexContent>
</complexType>


<element name="HA20" type="ndl50n:HA20Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA20Type">
```

```
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="curve" type="gml:CurvePropertyType" />
                <element name="surface" type="gml:SurfacePropertyType" />
          </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HG05" type="ndl50n:HG05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HG05gType">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="DTR" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="LHA" type= "integer" minOccurs="1"  maxOccurs="1" />
                <element name="CDI" type= "double" minOccurs="1"  maxOccurs="1" />
                <element name="CAO" type= "double" minOccurs="1"  maxOccurs="1" />
                <element name="DRG" type= "double" minOccurs="1"  maxOccurs="1" />
                <element name="curve" type="gml:CurvePropertyType" />
          </sequence>
    </extension>
```

```
  </complexContent>
</complexType>

<element name="HA04" type="ndl50n:HA04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
            </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA05" type="ndl50n:HA05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
            </sequence>
    </extension>
  </complexContent>
</complexType>
```

```
<element name="HA09" type="ndl50n:HA09Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA09Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA22" type="ndl50n:HA22Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA22Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA23" type="ndl50n:HA23Type" substitutionGroup="ndl50n:_NenDialy50N" />
```

```
<complexType name="HA22Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:SurfacePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>


<element name="HA10" type="ndl50n:HA10Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA10Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="HA08" type="ndl50n:HA08Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA08Type">
```

```
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="HA15" type="ndl50n:HA15Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA15Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="HA21" type="ndl50n:HA21Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HA21Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
```

```
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="HG06" type="ndl50n:HG06Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HG06Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="HTT" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="TPL" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="TCS" type= "double" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="HB01" type="ndl50n:HB01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HB01Type">
  <complexContent>
```

```
  <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="LDS" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="CNS" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="LHT" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="KRY" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="KCS" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
  </extension>
 </complexContent>
</complexType>

<element name="HB04" type="ndl50n:HB04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="HB04Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
  </extension>
 </complexContent>
</complexType>
```

```
<element name="CA01" type="ndl50n:CA01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="CA01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LDD" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="DTR" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BA03" type="ndl50n:BA03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BA03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DAP" type= "double" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:CurvePropertyType" minOccurs="1"  maxOccurs="1"/>
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BA05" type="ndl50n:BA05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BA05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BA06" type="ndl50n:BA06Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BA05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
        </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="BI01" type="ndl50n:BI01Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BI01Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="LTQ" type= "integer" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BB04" type="ndl50n:BB04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BB04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" />
        </sequence>
    </extension>
```

```
  </complexContent>
</complexType>

<element name="BQ03" type="ndl50n:BQ03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BQ03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="GEO" type="gml:PointPropertyType" />
          </sequence>
    </extension>
  </complexContent>
</complexType>


<element name="BQ05" type="ndl50n:BQ05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BQ05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="GEO" type="gml:PointPropertyType" />
          </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="BQ12" type="ndl50n:BQ12Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BQ12Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BQ14" type="ndl50n:BQ14Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BQ14Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" />
        </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="CB02" type="ndl50n:CB02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="CB02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="CB03" type="ndl50n:CB03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="CB03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="GEO" type="gml:PointPropertyType" minOccurs="1"  maxOccurs="1"/>
        </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

<element name="BD02" type="ndl50n:BD02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BD02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BD03" type="ndl50n:BD03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BD03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BD04" type="ndl50n:BD04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BD04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BE02" type="ndl50n:BE02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE02Type">
  <complexContent>
```

```
  <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
  </extension>
 </complexContent>
</complexType>

<element name="BE03" type="ndl50n:BE03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE03Type">
 <complexContent>
  <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
  </extension>
 </complexContent>
</complexType>
```

```
element name="BE04" type="ndl50n:BE04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BE05" type="ndl50n:BE05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
```

```
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BE06" type="ndl50n:BE06Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE06Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BE07" type="ndl50n:BE07Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE07Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
```

```
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BE09" type="ndl50n:BE09Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE09Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BE10" type="ndl50n:BE10Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BE10Type">
```

```
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>


<element name="BG02" type="ndl50n:BG02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG02Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
```

```
  </complexContent>
</complexType>

element name="BG03" type="ndl50n:BG03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BG04" type="ndl50n:BG04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BG07" type="ndl50n:BG07Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG07Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BG08" type="ndl50n:BG08Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG08Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

element name="BG09" type="ndl50n:BG09Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG09Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>
```

```
element name="BG10" type="ndl50n:BG10Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG10Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BG11" type="ndl50n:BG11Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG11Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
```

```
    </extension>
  </complexContent>
</complexType>

element name="BG13" type="ndl50n:BG13Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG11Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

element name="BG14" type="ndl50n:BG14Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BG11Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BH02" type="ndl50n:BH02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BH02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BH03" type="ndl50n:BH03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BH03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="BI02" type="ndl50n:BI02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BI02Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="BI03" type="ndl50n:BI03Type" substitutionGroup="ndl50n:_NenDialy50N" />
```

```
<complexType name="BI03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="point" type="gml:PointPropertyType" />
                <element name="surface" type="gml:SurfacePropertyType" />
    </extension>
  </complexContent>
</complexType>

<element name="BK02" type="ndl50n:BK02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BK02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="point" type="gml:PointPropertyType" />
                <element name="surface" type="gml:SurfacePropertyType" />
          </sequence>
    </extension>
  </complexContent>
```

```
</complexType>

<element name="BK03" type="ndl50n:BK03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BK03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                <element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="point" type="gml:PointPropertyType" />
                <element name="surface" type="gml:SurfacePropertyType" />
          </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL02" type="ndl50n:BL02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="point" type="gml:PointPropertyType" />
```

```
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL03" type="ndl50n:BL03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="“TEN” type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL04" type="ndl50n:BL04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
```

```
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL05" type="ndl50n:BL05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL06" type="ndl50n:BL06Type" substitutionGroup="ndl50n:_NenDialy50N" />
```

```
<complexType name="BL06Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL07" type="ndl50n:BL07Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL07Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
```

```
  </complexContent>
</complexType>
<element name="BL08" type="ndl50n:BL08Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL08Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
                <element name="point" type="gml:PointPropertyType" />
                <element name="surface" type="gml:SurfacePropertyType" />
            </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL09" type="ndl50n:BL09Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL09Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
                element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
                <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />

                <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
```

```
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL11" type="ndl50n:BL11Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL11Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="“TEN” type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BL13" type="ndl50n:BL13Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL13Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
```

```
    <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="BL14" type="ndl50n:BL14Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BL14Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="BM03" type="ndl50n:BM03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BM03Type">
```

```
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
</complexType>

<element name="BM04" type="ndl50n:BM04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BM04Type">
  <complexContent>
   <extension base="ndl50n:NenDialy50NType">
    <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
   </extension>
  </complexContent>
```

```
</complexType>

<element name="BM05" type="ndl50n:BM05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BM05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BN02" type="ndl50n:BN02Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BN02Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
```

```
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BN03" type="ndl50n:BN03Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BN03Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BN04" type="ndl50n:BN04Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BN04Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
```

```
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BN05" type="ndl50n:BN05Type" substitutionGroup="ndl50n:_NenDialy50N" />
<complexType name="BN05Type">
  <complexContent>
    <extension base="ndl50n:NenDialy50NType">
      <sequence>
            element name="MDT" type= "string" minOccurs="1"  maxOccurs="1" />
            <element name="TEN" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="DIC" type= "string" minOccurs="0"  maxOccurs="1" />
            <element name="point" type="gml:PointPropertyType" />
            <element name="surface" type="gml:SurfacePropertyType" />
        </sequence>
    </extension>
  </complexContent>
</complexType>

<element name="BN06" type="ndl50n:BN06Type" substitutionGroup="ndl50n:_NenDialy50N" />
```

(Xem tiếp Công báo số 543 + 544)

VĂN PHÒNG CHÍNH PHỦ XUẤT BẢN

Địa chỉ:	Số 1, Hoàng Hoa Thám, Ba Đình, Hà Nội
Điện thoại liên hệ:	
- Nội dung:	080.44417; Fax: 080.44517
- Phát hành:	080.48543
Email:	congbao@chinhphu.vn
Website:	http://congbao.chinhphu.vn
In tại:	Xí nghiệp Bản đồ 1- Bộ Quốc phòng

Giá: 10.000 đồng